

# SAFETY DATA SHEET MARASCO 20+40mL

REVIEW	11.2024	N.	9
--------	---------	----	---

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1 PRODUCT IDENTIFIER

Trade name	UFI	
MARASCO	MNX3-SAC0-51EA-AKPR	

**1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST** RELEVANT USE: CHEMICAL. LIQUID FOR ELECTRONIC CIGARETTES / PERSONAL VAPORIZERS. CONCENTRATED PRODUCT FOR DILUTION.

Not recommended use: all other than relevant use. CONTAINS 20ml. NOT FOR SALE TO PERSONS UNDER 18 YEARS OF AGE.

#### 1.3 INFORMATION ON THE SUPPLIER OF THE SAFETY DATA SHEET

Company name: FLAVORS4YOU S.r.l.

Registered and operational office: via Don Sturzo 21/23, 20822 SEVESO

(MB) flavors4you@legalmail.it, Tel. 0239465995

P.I.V.A. / C.F. 12044560964

Administration: amministrazione@flavors4you.com

COMPETENT PERSON RESPONSIBLE FOR THE SAFETY DATA SHEET:

Ing. Renzo Cattaneo, email: renzo.cattaneo@flavors4you.com.

website: www.blendfeel.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

Emergency telephone:

- Anna Lepore, Az. Osp. Univ. Foggia, FoggiaV.le Luigi Pinto, 1 CAP 71122 TEL. 800183459
- Romolo Villani, Az. Osp. 'A. Cardarelli', Naples, Via A. Cardarelli, 9 CAP 80131, TEL. 081-5453333
- M. Caterina Grassi, CAV Policlinico 'Umberto I', Rome V.le del Policlinico, 155, postcode 161 TEL. 06-49978000
- Alessandro Barelli, CAV 'A. Gemelli' Polyclinic
  Rome Largo Agostino Gemelli, 8 ZIP code 168
  TEL. 06- 3054343



- Francesco Gambassi, Az. Osp. 'Careggi' U.O. Tossicologia Medica, Firenze Largo Brambilla, 3 CAP 50134 TEL. 055-7947819
- Carlo Locatelli, CAV National Centre for Toxicological Information Pavia Via Salvatore Maugeri, 10 postcode 27100 TEL. 0382-24444
- Franca Davanzo Osp. Niguarda Ca' GrandaMilano Piazza Ospedale Maggiore, 3, CAP 20162 TEL. 02-66101029
- Bacis Giuseppe Azienda Ospedaliera Papa Giovanni XXII Bergamo, Piazza WHO, 1 POSTAL CODE 24127 TEL. 800883300
- Giorgio Ricci Azienda Ospedaliera Integrata Verona, Verona Piazzale Aristide Stefani, 1 CAP 37126
  TEL. 800011858

# 2. HAZARD IDENTIFICATION

# 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No 1272/2008

# Hazard class and category

THIS MATERIAL DOES NOT MEET THE CLASSIFICATION CRITERIA O F REGULATION (EC) NO 1272/2008.

## 2.2 LABEL ELEMENTS

Classification according to Regulation (EC) No 1272/2008

# Warning:

NONE

# Indication of danger:

NONE

# Additional information:

EUH208 CONTAINS LEMON OIL, PERU BALSAM. MAY CAUSE AN ALLERGIC REACTION.

#### Word of caution:

P501: DISPOSE OF THE PRODUCT IN ACCORDANCE WITH REGIONAL AND/OR NATIONAL REGULATIONS IN FORCE

# **Pictograms:**

NONE



#### 2.3 OTHER HAZARDS

# NONE

According to the available data, the product does not contain any PBT or vPvB substances at a concentration $\geq$  of 0.1%. The product does not contain any substances with endocrine-disrupting properties in concentrations  $\geq$  0.1%.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 MIXTURE

#### Contains:

SUBSTANCE NAME	CAS / EC	CONCENTRATION %	Classification according to Regulation (EC) No. 1272/2008	Specific concept Limits, M- factors and ATEs
MONOPROPYLENE GLYCOL PROPANE- 1,2-DIOL (E 1520)	57-55-6 / 200-338-0	90% <x<100%< td=""><td>-</td><td>dermal: ATE = 2000.01 mg/kg bw- oral: ATE =22000 mg/kg bw</td></x<100%<>	-	dermal: ATE = 2000.01 mg/kg bw- oral: ATE =22000 mg/kg bw
VANILLINE	121-33-5	0.1% <x<1%< td=""><td>EYE IRRITANT 2, H319</td><td>-</td></x<1%<>	EYE IRRITANT 2, H319	-
VANILLIA TAHITENSIS EXT	94167-14-3	0.01% <x<0.1%< td=""><td>FLAM LIQ 2, H225 SKIN SENS 1 H317</td><td>_</td></x<0.1%<>	FLAM LIQ 2, H225 SKIN SENS 1 H317	_
LEMON OIL	84929-31-7	0.01% <x<0.1%< td=""><td>FLAM LIQ 3, H226; SKIN IRRIT 2, H315; SKIN SENS 1A,1B, H317; ACQ ACUTE 1, H400; ACQ CHR 1, H410</td><td>-</td></x<0.1%<>	FLAM LIQ 3, H226; SKIN IRRIT 2, H315; SKIN SENS 1A,1B, H317; ACQ ACUTE 1, H400; ACQ CHR 1, H410	-
PERU BALSAM	8007-00-9	0.01% <x<0.1%< td=""><td>SKIN SENS 1A, 1B; H317; ACQ CHRONIC 2, H411; STOT RE 2, H373; ACQ ACUTE 1, H400; EYE DAMN 1, H318</td><td>-</td></x<0.1%<>	SKIN SENS 1A, 1B; H317; ACQ CHRONIC 2, H411; STOT RE 2, H373; ACQ ACUTE 1, H400; EYE DAMN 1, H318	-

# Substances with a Community workplace exposure limit

MONOPROPYLENE GLYCOLE propane-1,2-diol (E 1520), CAS 57-55-6; EC 200-338-0, dermal: ATE= 2000.01 mg/kg bw-oral: ATE= 2000.01 mg/kg bw-oral: ATE= 2000.01 mg/kg bw-oral

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU), 2018/605, greater than 0.1 per cent

Not applicable



Persistent, bioaccumulative and toxic or very persistent and very bioaccumulative substances above 0.1 %:

Not applicable

#### 4. FIRST AID MEASURES

# 4.1 DESCRIPTION OF FIRST AID MEASURES

EYES: Wash with water for at least 15 minutes. If symptoms persist, consult a doctor.

SKIN CONTACT: Remove contaminated clothing. Wash with soap and water. If irritation persists seek medical advice.

INHALATION: Move the subject to fresh air and keep him or her at rest in a position conducive to breathing.

INGESTION: Rinse out mouth with water and seek medical advice.

# 4.2 MAIN SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

None expected.

# 4.3 INDICATION OF ANY NEED FOR IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

None expected.

# 5. FIRE-FIGHTING MEASURES

#### **5.1 EXTINGUISHING MEDIA**

SUITABLE EXTINGUISHING MEDIA Carbon dioxide, foam, CO2 and water. UNSUITABLE EXTINGUISHING MEDIA None in particular.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE.

Exposure hazards in case of fire. Avoid breathing

the products of combustion.

#### 5.3 RECOMMENDATIONS FOR FIREFIGHTERS

GENERAL INFORMATION.

Cool containers with jets of water to prevent decomposition of the product and the development of substances potentially hazardous to health. Always wear full fire protection equipment. Collect extinguishing water, which must not be discharged into the sewage system. Dispose of contaminated extinguishing water and fire residue in accordance with current regulations.

Equipment. Hardhat with visor, fireproof clothing, intervention gloves, overpressure mask with a face mask covering the entire face.



#### 6. MEASURES IN CASE OF ACCIDENTAL RELEASE

# 6.1 PERSONAL PRECAUTIONS PROTECTIVE EQUIPMENT AND PROCEDURES IN CASE OF EMERGENCY

Eliminate all sources of ignition or heat from the area where the leak occurred. Wear suitable PPE.

Move people to a safe place.

#### **6.2 ENVIRONMENTAL PRECAUTIONS**

Prevent the product from entering sewers, surface water, groundwater and confined areas.

#### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND REMEDIATION

Absorb the leaked product with inert absorbent material (sand, vermiculite, etc.). Provide sufficient ventilation of the site affected by the leak. Disposal of contaminated material must be carried out in accordance with legal requirements.

#### **6.4 REFERENCE TO OTHER SECTIONS**

See 8 and 13.

#### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

- avoid contact of the product with the eyes and skin
- use suitable gloves (preferably made of elastic butyl rubber), protect eyes and face
- · not smoking
- · do not expose the product to flames and sparks or other potential sources of ignition
- do not subject to high temperatures during processing
- do not ingest
- · maintain good air circulation.
- during work do not eat or drink

#### 7.2 CONDITIONS FOR SAFE STORAGE. INCLUDING ANY INCOMPATIBILITIES

- store containers in an upright position
- avoid the possibility of impacts and/or falls
- · keep in tightly closed original container. do not use unlabelled or opened containers
- store in a cool, well-ventilated place, away from heat, open flames, sparks and other sources of ignition
- · from direct exposure to the sun's rays
- do not use empty containers
- keep under lock and key
- · do not store together with flammable liquids

#### 7.3 PARTICULAR END USES

No particular use.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **8.1 CONTROL PARAMETERS**



MONOPROPILENIC GLYCOLE propane-1,2-diol (E 1520), CAS 57-55-6, EC 200-338-0, LONG-TERM EXPOSURE LIMIT (AVERAGE REFERENCE PERIOD OVER 8 HOURS), 150ppm, 474 mg/m3, UK REFERENCE EH40 Oct 2007

MONOPROPYLENE GLYCOLS, CAS 57-55-6, EC 200-338-0, SHORT-TERM EXPOSURE LIMIT (REFERENCE PERIOD 15 MINUTES), ---ppm, ---mg/m3, REFERENCE UK EH40 Oct 2007

#### **8.2 EXPOSURE CONTROLS**

#### SKIN PROTECTION

Wear long-sleeved work clothes and category I safety footwear for professional use (ref. Regulation 2016/425 and EN ISO 20344). Wash with soap and water after removing protective clothing.

#### HAND PROTECTION

Protect hands with category III work gloves (ref. standard EN 374).

For the final choice of work glove material, the following must be considered: compatibility, degradation, breakthrough time and permeation. In the case of preparations, the resistance of work gloves to chemicals must be verified be for exuse as it cannot be predicted.

Gloves have a wear time that depends on the duration and mode of use. EYE PROTECTION

It is advisable to wear airtight protective goggles (ref. standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) of the substance or of one or more of the substances present in the product is exceeded, it is advisable to wear a mask with a type A filter, the class (1, 2 or 3) of which must be chosen in relation to the limit concentration of use. (ref. standard EN 14387). If gases or vapours of a different nature and/or gases or vapours with particles (aerosols, fumes, mists, etc.) are present, combined type filters must be used. The use of respiratory protective equipment is necessary if the technical measures adopted are not sufficient to limit worker exposure to the threshold values taken into consideration. The protection offered by masks is in any case limited.

THERMAL HAZARDS

There is no information available.

ENVIRONMENTAL EXPOSURE CONTROLS

There is no information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 INFORMATION ON PROPERTIES PHYSICAL AND CHEMICAL BASIC OF THE SUBSTANCES MAKING UP THE MIXTURE TAKEN INDIVIDUALLY

FEATURES	PROPYLENE GLYCOL EP	AROMS
physical state	liquid	liquid
colour	colourless apha colour <10	characteristic
smell	odourless	characteristic
melting/freezing point	-59° C	No data available



boiling point or starting point		
boiling point or boiling range	184° C	>250°C
flammability	No data available	No data available
lower and upper limit of explosiveness	No data available	No data available
Flash point	103° C	No data available
self-ignition temperature	No data available	No data available
decomposition temperature	No data available	No data available
ph	6.4 (500gr/Kg, 20°C)	No data available
Kinematic viscosity	43.43 mPas (25°C)	No data available
solubility	completely soluble	Yes, in organic solvents and ethanol
octanol/water partition coefficient (logarithmic value)	No data available	No data available
vapour pressure	0.2 hPa	No data available
density and/or relative density	1.04g/cm3 (at 20°)	> 0.90g/cm3 (at 20°)
relative vapour density	No data available	No data available
particle characteristics	No data available	No data available

#### 9.2 OTHER INFORMATION

None available.

# 10. STABILITY AND RESPONSIVENESS

#### 10.1 REACTIVITY

There are no particular hazards with other substances and/or mixtures under normal conditions of use.

#### **10.2 CHEMICAL STABILITY**

Stable under normal conditions of use and storage.

## 10.3 POSSIBILITY OF DANGEROUS REACTIONS

under normal conditions of use and storage, no hazardous reactions are to be expected.

# **10.4 CONDITIONS TO BE AVOIDED**

Avoid high temperatures.

Avoid high humidity and direct exposure to sunlight.

can ignite on contact with oxidising mineral acids, elemental metals, nitrides, organic peroxides and hydroperoxides, oxidising and reducing agents.

# 10.5 INCOMPATIBLE MATERIALS

avoid contact with oxidising agents, concentrated acids and alkalis.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

none.

# 11. TOXICOLOGICAL INFORMATION



# 11.1 INFORMATION ON HAZARD CLASSES DEFINED IN REGULATION (EC) NO 1272/2008

This mixture has not been tested for health effects. These were calculated using the methods described in Regulation (ec) No 1272/2008 (CLP).

# EUH208 CONTAINS LEMON OIL, PERU BALSAM. MAY CAUSE AN ALLERGIC REACTION.

This material does not meet the health hazard classification criteria of Regulation (ec) No 1272/2008.

ASSUMED TOXICITY VALUE (LD50 OR ATE) FOR ACUTE ORAL TOXICITY: NOT APPLICABLE ASSUMED TOXICITY VALUE (LD50 OR ATE) FOR ACUTE DERMAL TOXICITY: NOT APPLICABLE ASSUMED TOXICITY VALUE (LD50 OR ATE) FOR ACUTE INHALATION TOXICITY: NOT AVAILABLE.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/serious eye irritation: Based on available data, the classification criteria are not met.

sensitisation respiratory or skin: Based on available data the classification criteria are not met.

Germ cell mutagenicity: Based on the available data, the classification criteria are not met. carcinogenicity: Based on the available data the criteria of classification not are met.

Reproductive toxicity: Based on available data, the classification criteria are not met. Specific target organ toxicity (STOT) - single exposure: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

#### 11.2 INFORMATION ON OTHER HAZARDS

There is no information available.

# 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

**NOT AVAILABLE** 

12.2 Persistence and degradability



**NOT AVAILABLE** 

#### 12.3 Bioaccumulative potential

**NOT AVAILABLE** 

#### 12.4 Mobility in the soil

**NOT AVAILABLE** 

#### 12.5 Results of PBT and vPvB assessment

This substance does not fulfil the PBT/vPvB criteria of the REACH regulation, Annex XIII.

#### 12.6 Endocrine-disrupting properties

There is no information available.

#### 12.7 Other adverse effects

**NOT AVAILABLE** 

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 WASTE TREATMENT METHODS

Do not use empty containers, which must be sent for disposal according to current regulations. Packaging: do not dispose of in the environment, recover if possible, send for disposal according to current regulations.

Product residues containing nicotine are to be considered hazardous waste. The container must therefore be disposed of in accordance with the law, as must the packaging if contaminated. Send to authorised disposal plants or incineration under controlled conditions. Operate in accordance with current local and national regulations.

#### 14. TRANSPORT INFORMATION

#### 14.1 ONU NUMBER OR ID NUMBER

**NOT CLASSIFIED** 

#### 14.2 ONU OFFICIAL DESIGNATION OF TRANSPORT

**NOT CLASSIFIED** 

## 14.3 TRANSPORT HAZARD CLASSES

**NOT CLASSIFIED** 

# 14.4 PACKING GROUP

**NOT CLASSIFIED** 

#### 14.5 DANGERS TO THE ENVIRONMENT

NOT CLASSIFIED AS ENVIRONMENTALLY HAZARDOUS TRANSPORT

#### 14.6 SPECIAL PRECAUTIONS FOR USERS

NONE MORE

# 14.7 MARITIME TRANSPORT IN BULK IN ACCORDANCE WITH IMO

**NOT CLASSIFIED** 



# 15. REGULATORY INFORMATION

# 15.1 HEALTH, SAFETY AND ENVIRONMENTAL LAWS AND REGULATIONS SPECIFIC TO THE SUBSTANCE OR MIXTURE

- EC REGULATION 1907/2006 REACH
- EC REGULATION 1272/2008 CLP
- LEGISLATIVE DECREE 12/01/2016, NO. 6 TRANSPOSITION OF DIRECTIVE 2014/40/EU ON THE APPROXIMATION OF THE LAWS, REGULATIONS AND ADMINISTRATIVE PROVISIONS OF THE MEMBER STATES CONCERNING THE MANUFACTURE, PRESENTATION AND SALE OF TOBACCO PRODUCTS AND RELATED PRODUCTS AND REPEALING DIRECTIVE 2001/37/EC. (16G00009)
- REGULATION (EC) NO 878/2020

Workers exposed to this chemical agent hazardous to health must be subject to health surveillance carried out in accordance with the provisions of Article 41 of Legislative Decree No. 81/2008 unless the risk to the safety and health of the worker has been assessed as insignificant in accordance with Article 224(2).

#### 15.2 CHEMICAL SAFETY ASSESSMENT

A chemical safety assessment was not carried out for this product.

#### **16. OTHER INFORMATION**

#### **DESCRIPTION OF HAZARD STATEMENTS H**

EUH208 CONTAINS (SUBSTANCE NAME). MAY CAUSE AN ALLERGIC REACTION.

# **DESCRIPTION OF PRECAUTIONARY ADVICE P**

P501: DISPOSE OF THE PRODUCT IN ACCORDANCE WITH REGIONAL AND/OR NATIONAL REGULATIONS.

The calculation method used for the classification of the mixture is that relating to paragraph 3.1.3.6.1 of Regulation (EC) 1272/2008

# CHANGES COMPARED TO ISSUE 01 OF 07.2021:

- ADDITION OF NO. 4 PRODUCTS (WHAT TASTE!, MARASCO, TEDDY, CURIOUS)

#### **CHANGES SINCE REVISION 02 (REV02):**

- COMPANY NAME AND PARAGRAPH 1.3 AMENDED, UFI CODES ADDED

# **CHANGES SINCE REVISION 03 (REV03):**

- ADDED PRODUCT 'CREAMY LATAKIA' CHANGES

#### **SINCE REVISION 04 (REV04):**



- BALKAN RIVER", "BANZAI", "DEUX PAYS", introduced EAN13 20/20ML FLACON FOR ALL PRODUCTS, ADDED PRODUCTS VIRGINIA, AVANA, BURLEY, ORIENTAL, LATAKIA, KENTUCKY

## **CHANGES SINCE REVISION 05 (REV05):**

- CHANGED COMPOSITION TEDDY; ADDED BARCODES EAN13 LONG FILL SYSTEM 20+40ML PRODUCTS VIRGINIA, AVANA, BURLEY, ORIENTAL, LATAKIA, KENTUCKY

#### **CHANGES SINCE REVISION 06 (REV06):**

- PRODUCT 'GOOD MORNING' ADDED

#### **CHANGES SINCE REVISION 07 (REV07):**

- CREATION OF SDS FOR INDIVIDUAL PRODUCTS

#### **CHANGES COMPARED TO REVISION 08:**

- MODIFICATION "IDENTIFIED USES", CAUTIONARY ADVICE IN SECTION 2.2, MODIFICATION SECTION 11.1, MODIFICATION SECTION 15

DN - European Agreement Concerning the International Carriage of Dangerous Goods by Water; ADR - Agreement Concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for Testing of Materials; bw - Body weight; CMR - Carcinogenic, mutagenic or toxic to reproduction; DIN - Standard of the German Institute for Standardisation DSL - Domestic List of Substances (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Programme; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk; IC50 - Half of the Maximum Inhibitory Concentration; ICAO - International Civil Aviation Organisation; IECSC - China Inventory of Existing Chemical Substances; IMDG - International Maritime Dangerous Goods Transport IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea's Inventory of Existing Chemical Substances; LC50 - 50% Lethal Concentration for a Test Population; LD50 - 50% Lethal Dose for a Test Population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

n.o.s. - not otherwise specified; NO(A)EC - Concentration with no observed (adverse) effects; NO(A)EL - Level with no obse

#### NOTE TO THE USER

The information contained in this sheet is based on the knowledge available to us at the date of the latest version.

The user must ensure the suitability and completeness of the information in relation to the specific use of the product. This document should not be construed as a guarantee of any specific product properties.

Since t h e use of the product is not under our direct control, it is the user's responsibility to observe the applicable health and safety laws and regulations.

No liability is accepted for improper use.

We authorise the printing of an unlimited number of copies for internal use only.